800X500MM







1800X500MM











Specification

Material: Steel

Max Working Pressure: 10 Bar

Connection: 1/2"

Warranty: 5 Year Manufacture

All products tested in accordance with EN442

Features and Benefits

- Classic ladder rail with a 22mm bar
- Range cover all of the popular sizes
- Available in dual fuel option for summer use



INDEPENDENT CHROME

Product Code New	Height (mm)	Length (mm)	Depth (mm)	Pipe Centres	Output (Watts)	Output (BTUs)
130037	800	400	65-75	355	192	655
130038	1000	400	65-75	355	238	812
130039	1200	400	65-75	355	283	965
130040	1400	400	65-75	355	329	1122
130041	1600	400	65-75	355	376	1282
130042	1800	400	65-75	355	424	1446
130043	800	500	65-75	455	227	774
130044	1000	500	65-75	455	283	965
130045	1200	500	65-75	455	341	1163
130046	1400	500	65-75	455	400	1365
130047	1600	500	65-75	455	462	1576
130048	1800	500	65-75	455	526	1795
130049	800	600	65-75	555	263	897
130050	1000	600	65-75	555	329	1122
130051	1200	600	65-75	555	398	1358
130052	1400	600	65-75	555	471	1607
130053	1600	600	65-75	555	547	1866
130054	1800	600	65-75	555	628	2143















INDEPENDENT CHROME












































Technical Data
























1600X400MM



1600X500MM





1600X600MM

