

TOWELRADS

PISA CURVED

TECHNICAL DATA

Product Category

Ladder Towel Rails

Heating Type

Central Heating

Product Overview

The Pisa 25mm bar range is our market leading ladder rail. The bar diameter is directly linked to heat output – the larger the bar, the higher the towel rail's capacity, giving greater output.



Available in chrome



10 Year guarantee



Available in a variety of sizes

Features & Benefits

- High heat output achieved by using 25mm bars
- Can be used on central heating or dual fuel systems
- Steel radiator finished in chrome
- Flat and horizontal version available

Product Information



CODE	HEIGHT	WIDTH	DEPTH	BTU OUTPUT - T50
140036	600mm	400mm	89-119mm	621
140037	600mm	450mm	89-119mm	699
140038	600mm	500mm	89-119mm	778
140039	600mm	600mm	89-119mm	931
140040	800mm	400mm	89-119mm	935
140041	800mm	450mm	89-119mm	1051

TOWELRADS

PISA CURVED

TECHNICAL DATA

Product Information

CHROME




 CODE	 HEIGHT	 WIDTH	 DEPTH	BTU OUTPUT - T50
140042	800mm	500mm	89-119mm	1167
140043	800mm	600mm	89-119mm	1402
140044	1000mm	400mm	89-119mm	1095
140045	1000mm	500mm	89-119mm	1365
140046	1000mm	600mm	89-119mm	1641
140047	1200mm	400mm	89-119mm	1201
140048	1200mm	450mm	89-119mm	1351
140049	1200mm	500mm	89-119mm	1501
140050	1200mm	600mm	89-119mm	1802
140051	1400mm	400mm	89-119mm	1454
140052	1400mm	450mm	89-119mm	1634
140053	1400mm	500mm	89-119mm	1815
140054	1400mm	600mm	89-119mm	2180
140055	1600mm	400mm	89-119mm	1720
140056	1600mm	450mm	89-119mm	1941
140057	1600mm	500mm	89-119mm	2156
140058	1600mm	600mm	89-119mm	2593
140059	1800mm	400mm	89-119mm	1870
140060	1800mm	450mm	89-119mm	2105
140061	1800mm	500mm	89-119mm	2341
140062	1800mm	600mm	89-119mm	2808

TOWELRADS


PISA CURVED

TECHNICAL DATA




Technical Drawings


600x400mm




600x450mm



600x500mm



600x600mm




DEPTH	HEIGHT
85 ± 100mm	600mm

TOWELRADS


PISA CURVED

TECHNICAL DATA




Technical Drawings


800x400mm




800x450mm



800x500mm



800x600mm




DEPTH	HEIGHT
85 ± 100mm	800mm

TOWELRADS


PISA CURVED

TECHNICAL DATA




Technical Drawings


1000x400mm



1000x500mm



1000x600mm




DEPTH	HEIGHT
85 ± 100mm	1000mm

TOWELRADS


PISA CURVED

TECHNICAL DATA




Technical Drawings


1200x400mm




1200x450mm



1200x500mm



1200x600mm



↖
DEPTH

85 ± 100mm

↑
HEIGHT

1200mm

Towelrads
Part of the Brickability Group


[illegible]

Version 25.1 - May 2025

TOWELRADS


PISA CURVED

TECHNICAL DATA




Technical Drawings


1600x400mm




1600x450mm



1600x500mm



1600x600mm



↖
DEPTH

85 ± 100mm


↑
HEIGHT

1600mm

TOWELRADS


PISA CURVED

TECHNICAL DATA




Technical Drawings


1800x400mm




1800x450mm



1800x500mm



1800x600mm



DEPTH

85 ± 100mm

HEIGHT

1800mm